

The all new MSeries



M Series is a state-of-the-art vending machine with the latest industry features, solid and durable body design exclusively engineered for the Australian market, backed by 24/7 support.







M Series

M6000



Cashless Ready



Reliable, Solid Build



90° Door Opening



User Friendly Design



Customisable to Vend Different Products



LED Lighting Programable



7th Tray Option



Heated Glass









month warranty

M Series is a state-of-the-art vending machine with the latest industry features, solid and durable body design exclusively engineered for the Australian market, backed by 24/7 support.









12 month warranty

WE DO CUSTOM MACHINES



M Series

M6000

Products	Quantity (estimate)				
Combo	Snacks: 254 Drinks: 208				
Snack Only	Up to 1176				

Specifications

Electrical	240v, 50/60Hz			
Gas	R134a			
Cabinet Temperature	4°C to +20°C			

Key Feature

IXC,	y i catale
/	Danfoss compressor
Y	Powerful refrigeration
<u> </u>	Cashlesss ready

- ✓ Stainless steel panel
- ✓ Vend sensors
- ✓ LED lighting programable
- ✓ Customisable to vend different products
- ✓ Heating glass
- ✓ 3 wire latest mortor system
- ✓ Dual zone temperature
- ✓ 7th tray option

M6000 Tray Configuration

Tray 1	8set		8set		8set		8set		8set		8set	
Tray 2	8set		8set		8set		8set		4set for noodle		14set	
Tray 3	12	12	12	12	12	12	14	14	14	14	14	14
Tray 4	5	5	5	5	5	5	5	5	5	5	7	7
Tray 5	6	6	6	6	6	6	6	6	6	6	6	6
Tray 6	6	6	6	6	6	6	6	6	6	6	6	6







MSeries Comparison



Model Comparison

	M2000	M3000	M4000	M5000	M6000
Height	1845mm	1830mm	1830mm	1830mm	1830mm
Width	763mm	762mm	890mm	1050mm	1215mm
Depth	713mm	830mm	830mm	830mm	830mm
Weight	250kg	300kg	335kg	365kg	395kg
Refrigeration Gas	R134a	R134a	R134a	R134a	R134a
Combo Selections	30	30	40	50	60
90° Door	•	•	•	•	•
LED Lighting Programmable	•	•	•	•	•
Heated Glass	•	•	•	•	•
Interior Storage	•	•	•	•	•
Dual Zone	•	•	•	•	•
Cashlesss Ready	•	•	•	•	•
High Capacity Option	•	•	•	•	•
7th Tray Option	•	•	•	•	•
Narrow Door Cutout to get in to 760mm doors			•	•	



